

ΣΕΜΙΝΑΡΙΟ

Τμήματος Φυσικής

ΔΕΥΤΕΡΑ

04 Δεκεμβρίου 2023

Έναρξη 14:00

Αίθουσα A31 &

<https://authgr.zoom.us/j/95183555963>



Αριστοτέλειο Πανεπιστήμιο
Θεσσαλονίκης
ΤΜΗΜΑ ΦΥΣΙΚΗΣ



ΑΡΙΣΤΟΤΕΛΕΙΟ
ΠΑΝΕΠΙΣΤΗΜΙΟ
ΘΕΣΣΑΛΟΝΙΚΗΣ

Cylindrical Micro- and Nanowires: From Curvature Effects on Magnetization to Sensing Applications

Manuel Vázquez

Institute of Materials Science of Madrid, Consejo Superior de Investigaciones Científicas, Spain

Research on curvature effects in magnetic nanostructures is attracting much interest as they offer novel alternatives to planar systems. In particular, the cylindrical geometry introduces significant singularities in the magnetic response of ferromagnetic wires just from their curvature, which primarily depends on their diameter, length, and aspect ratio. The main magnetic configurations include axial, transverse, and vortex (circular with a singularity at the axis). Microwires, 1 to 200 micrometer diameter, are fabricated by in-rotating-water and by quenching and drawing ultrarapid solidification techniques. Amorphous wires with high magnetostriction re-magnetize through an ideal millimeter-long single domain wall propagating at kilometer-per-second speeds that results in a square hysteresis loop. Such bistable behavior and their magnetoelastic properties are the basis for various devices (e.g., field, stress and temperature sensors, electromagnetic shielding). On the other hand, ultrasoft non-magnetostrictive microwires are employed in very sensitive field sensors based on their Giant Magneto-Impedance, GMI, effect or in flux-gate magnetometers. Nanowires (20 nm to 400 nm diameter) present an outstanding behavior where the crystalline structure plays a major role in competition with shape anisotropy. Cylindrical nanowires are considered as scaffolds for advanced 3D nanoarchitectures exploiting intrinsic curvature that introduces significant differences from planar-based nanotechnologies. They are proposed for novel sensor devices and magnets, and their interconnecting arrays are considered for energy devices or brain-inspired computing. An ultimate goal is currently the investigation of the magnetization reversal modes in individual nanowires by advanced techniques, e.g., X-ray magnetic circular dichroism (XMCD) coupled to photoemission electron microscopy (PEEM), magnetic force microscopy (MFM), magneto-optical Kerr effect (MOKE), electron holography, and micromagnetic simulations. They show axial, transverse, vortex, and more complex, exotic magnetic configurations and effects (e.g., magnetization ratchet, skyrmion tubes, helical vortices). The reversal nucleates at the nanowire ends, involving singularities (e.g., Blochpoint walls) and at local transition regions (e.g., modulations in diameter or composition between segments of differently designed magnetic properties). Individual nanowires are currently used or proposed for biomedical applications, such as cancer treatment, magnetic resonance imaging (MRI) contrast agents, or in composites for their antimicrobial activity.

Bio Prof. Manuel Vázquez has been a Professor of Research in the Spanish Council for Research (CSIC) since 1996. He was responsible of many scientific and technological projects on the magnetism of nano- and microwires, and has supervised 35 Ph.D. students and numerous visiting scientists. He is coauthor of over 600 publications (H index = 65, 18000 citations) and 23 patents, and has contributed to several books, including as editor of *Magnetic Nano- and Microwires* (Elsevier, 2015 and 2020). After defending his Ph.D. at the Complutense University of Madrid, he was an Alexander von Humboldt postdoctoral fellow at the Max-Planck-Institute für Metallforschung, Stuttgart, and at the Technical University of Denmark, Lyngby, under a NATO research grant. He was the Head of Laboratory at the Institute of Applied Magnetism, IMA (1992-2000) and Manager of the Spanish Strategic Action on Nanoscience and Nanotechnology (2004-2009)
Contact details: mvazquez@icmm.csic.es.

